

# Hexa

COLLECTION



terratinta  
ceramiche

100%  
made in  
Italy

**HEXA SUMMARY** 04

**HEXA MOSAIC** 12  
matt

**HEXA MOSAIC** 26  
mix matt/glossy/fabric


**HEXA FLOOR** 32  
matt


**HEXA WALL** 48  
glossy

**HEXA SQUARE** 54  
matt

**Packaging** 69

**Technical features** 70





Hexa

## MOSAIC ± 4,5mm


- *MATT finish* - 31,6x31,6cm (12"x12")



Hexagonal mosaic in 4,3x3,8cm (2"x2") chips and 31,6x31,6cm (12"x12") sheets, full body porcelain mosaic, high level technology made in Italy, suitable for floors and walls. Available in a minimalist **matt** finish, in 15 contemporary colors which are the perfect interpretation of the latest design trends.


*Mosaico esagonale in tessere di 4,3x3,8cm e fogli di 31,6x31,6cm, tecnologia di alto livello made in Italy, mosaico in gres porcellanato, adatto per pavimenti e rivestimenti. Disponibile in una finitura **matt** minimalista, in 15 colori contemporanei che sono la perfetta interpretazione delle ultime tendenze del design.*

- *MIX matt /glossy/ fabric* - 31,6x31,6cm (12"x12")




Hexagonal mosaic in 4,3x3,8cm (2"x2") chips and 31,6x31,6cm (12"x12") sheets, high level technology made in Italy, full body porcelain mosaic, suitable for floors and walls. Available in a mix of **three finishes**, matt, glossy (light polished effect) and fabric (materic look, like juta texture), in 6 colors inspired by Scandinavian design.

*Mosaico esagonale in tessere di 4,3x3,8cm e fogli di 31,6x31,6cm, tecnologia di alto livello made in Italy, mosaico in gres porcellanato, adatto per pavimenti e rivestimenti. Disponibile in un mix di **tre finiture**, matt, glossy (effetto lucido) e fabric (aspetto materico, come la texture juta), in 6 colori ispirati al design scandinavo.*



## FLOOR $\approx$ 8,5mm

- MATT finish - 14x16cm (5"x6")



15 colours to embrace you: a new floor experience to complete Hexa collection with a proposal for floor coverings in all the beloved shades of Hexa. A compact **14x16cm** (5"x6") size in which the colours stand out in their richness. Decisive hues ranging from pastels to stronger shades, always in the hexagonal shape that has made Hexa so memorable.


*15 colori per abbracciarti: una nuova esperienza di pavimento per completare la collezione Hexa con una proposta di pavimenti in tutte le amate tonalità della gamma. Un formato compatto **14x16cm** in cui i colori risaltano nella loro ricchezza. Tonalità decise che vanno dai pastelli alle gradazioni più forti, sempre nella forma esagonale che ha reso Hexa così memorabile.*

Hexa




## WALL ± 10mm

- GLOSSY finish - 17,3x15cm (7"x6")




Extruded white body ceramic tiles, semi hand made technology with a unique handcrafted effect: this is Hexa Wall, a hexagonal glazed extruded white body in 17,3x15cm (7"x6"). Available in 5 colors, soft **glossy finish**, only for wall use. Vintage style beside new trendy shades: this is warm minimalism.

*Piastrelle ceramiche estruse in pasta bianca, tecnologia semi-artigianale con un effetto "fatto a mano" unico: questo è Hexa Wall, un formato esagonale estruso in pasta bianca in 17,3x15cm. Disponibile in 5 colori, finitura **glossy** morbida, solo per rivestimenti. Stile vintage unito alle nuove tonalità di tendenza: questo è minimalismo caldo.*



---

"Color is a power which directly influences the soul."  
~ Wassily Kandinsky



**SQUARE** ± 8,5mm

- MATT finish - 15x15cm (6"x6")



The Hexa collection offers a new **15x15 cm** size in which the richness of the colour range once again enhances the role of colour in interior design, a modern mood in which the perfect square allows you to play with composition and colour mix, or create rich monochrome displays. From decisive and elegant tones like Deep Navy, Black Swan or Dutch White, to nuances characterised by sophisticated refinement like Rosy Blush and Laurel Green, to the liveliness of the bold Yellow Corn and Cherry Pie, the fifteen colours of Hexa return in this new size to offer even new possibilities for combinations and laying, for modern wall and floor coverings enriched by spectacular colour effects.

*La collezione Hexa propone un nuovo formato **15x15 cm** in cui la ricchezza della gamma cromatica esalta ancora una volta il ruolo del colore nell'interior design, un mood moderno in cui il quadrato perfetto permette di giocare con la composizione e il mix colori, oppure creare ricche distese monocrome. Dai toni decisi e eleganti come Deep Navy, Black Swan o Dutch White, alle nuance caratterizzate da una sofisticata ricercatezza come Rosy Blush e Laurel Green, fino alla vivacità degli arditi Yellow Corn e Cherry Pie, i quindici colori di Hexa tornano in questo nuovo formato per offrire ancor nuove possibilità di combinazioni e pose, per rivestimenti e pavimenti moderni arricchiti da scenografici giochi cromatici.*

## DUTCH WHITE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm



## LAUREL GREEN

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm




*Hexa*  
MOSAIC

## AZURE MIST

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")


**matt** finish  
± 4,5mm



## CADET BLUE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm




*Hexa*  
MOSAIC



## AEGEAN BLUE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")



**matt** finish  
± 4,5mm



## ROSY BLUSH

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm



*Hexa*  
MOSAIC

## WILD SAGE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm



## GREEN ECHO

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm



*Hexa*  
MOSAIC

## OCEAN WAVE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")



**matt** finish  
± 4,5mm



## DEEP NAVY

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm



## BLACK SWAN

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")

**matt** finish  
± 4,5mm



## LEMON SORBET

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")


**matt** finish  
± 4,5mm



## CHERRY PIE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")


**matt** finish  
± 4,5mm



## RUSTY RED

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")



**matt** finish  
± 4,5mm



## YELLOW CORN

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")


**matt** finish  
± 4,5mm



Hexa  
MOSAIC


## ROSY BLUSH

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")  
mix **matt/glossy/fabric** finish  
± 4,5mm




## WILD SAGE

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")  
**matt** finish  
± 4,5mm



## DEEP NAVY

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")  
mix **matt/glossy/fabric** finish  
± 4,5mm



## COTTON CANDY

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")  
**matt** finish  
± 4,5mm





## RUSTY RED

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")  
mix **matt/glossy/fabric** finish  
± 4,5mm



## YELLOW CORN

Mosaic 31,6x31,6cm - 12"x12"  
(chip 4,3x3,8cm - 2"x2")  
**matt** finish  
± 4,5mm



*Hexa*  
MOSAIC




# LEMON SORBET

Hexa Floor 14x16cm - 5"x6"  
matt finish  
± 8,5mm



# ROSY BLUSH

Hexa Floor 14x16cm - 5"x6"  
matt finish  
± 8,5mm



## DUTCH WHITE

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm



## WILD SAGE

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm




*Hexa*  
FLOOR

## LAUREL GREEN

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm



## GREEN ECHO

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm



*Hexa*  
FLOOR

## AZURE MIST

Hexa Floor 14x16cm - 5"x6"  
matt finish  
± 8,5mm




## CADET BLUE

Hexa Floor 14x16cm - 5"x6"  
matt finish  
± 8,5mm





## AEGEAN BLUE

Hexa Floor 14x16cm - 5"x6"  
matt finish  
± 8,5mm



## OCEAN WAVE

Hexa Floor 14x16cm - 5"x6"  
matt finish  
± 8,5mm




Hexa  
FLOOR

## DEEP NAVY

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm




## RUSTY RED

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm




## CHERRY PIE

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm




## YELLOW CORN

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm



*Hexa*  
FLOOR


# BLACK SWAN

Hexa Floor 14x16cm - 5"x6"

**matt** finish

± 8,5mm

*Hexa*  
FLOOR



HEXA Floor Laurel Green 16x14cm matt\_floor  
STICK Laurel Green 20x30cm matt\_wall  
Trim Laurel Green 4,5x30cm matt





## CHERRY PIE

Hexa Wall 17,3x15cm - 7"x6"

glossy finish

± 10mm

Hexa  
WALL



## GREEN ECHO

Hexa Wall 17,3x15cm - 7"x6"

**glossy finish**

± 10mm



## OCEAN WAVE

Hexa Wall 17,3x15cm - 7"x6"

**glossy finish**

± 10mm



*Hexa*  
WALL

## BLACK SWAN

Hexa Wall 17,3x15cm - 7"x6"  
glossy finish  
± 10mm



## LEMON SORBET


Hexa Wall 17,3x15cm - 7"x6"  
glossy finish  
± 10mm



*Hexa*  
WALL


## LEMON SORBET

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



## ROSY BLUSH

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



Hexa  
SQUARE

## DUTCH WHITE

Hexa Square 15x15cm - 6"x6"  
**matt** finish  
± 8,5mm



## WILD SAGE

Hexa Square 15x15cm - 6"x6"  
**matt** finish  
± 8,5mm



## LAUREL GREEN

Hexa Square 15x15cm - 6"x6"  
**matt** finish  
± 8,5mm



*Hexa*  
SQUARE

## AZURE MIST

Hexa Square 15x15cm - 6"x6"

**matt** finish

± 8,5mm




## AEGEAN BLUE


Hexa Square 15x15cm - 6"x6"

**matt** finish

± 8,5mm



*Hexa*  
SQUARE




## GREEN ECHO

Hexa Square 15x15cm - 6"x6"

**matt** finish

± 8,5mm




## CADET BLUE

Hexa Square 15x15cm - 6"x6"

**matt** finish

± 8,5mm



*Hexa*  
SQAURE


## OCEAN WAVE

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



## DEEP NAVY

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



Hexa  
SQUARE



## RUSTY RED

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



## YELLOW CORN


Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



Hexa  
SQUARE


## CHERRY PIE

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm



## BLACK SWAN

Hexa Square 15x15cm - 6"x6"  
matt finish  
± 8,5mm




# MOSAIC $\pm 4,5\text{mm}$

31,6x31,6cm (chip 4,3x3,8cm)  
12"x12" (chip 2"x2")

- MATT finish -



- MIX matt/glossy/fabric -



# FLOOR $\pm 8,5\text{mm}$

14x16cm  
5"x6"


- MATT finish -



# WALL $\pm 10\text{mm}$

17,3x15cm  
7"x6"

- GLOSSY finish -



# SQUARE $\pm 8,5\text{mm}$

15x15cm  
6"x6"

- MATT finish -



# SKIRTING ± 7,5mm

5x30cm  
2"x12"

- MATT finish -



# TRIM ± 6mm

4,5x30cm  
1,7"x12"

- MATT finish -



# PACKAGING










	BOX			PALLET		
	PCS	SQ.MT.	KG	BOXES	SQ.MT.	KG
Hexa mosaic 31,6x31,6 - 12"x12"	10	1	10	54	54,00	560
Hexa Floor 14x16 - 5"x6"	33	0,55	10,46	68	37,40	731
Hexa Wall 17,3x15 - 7"x6"	24	0,46	8,48	64	29,44	563
Hexa Square 15x15 - 6"x6"	25	0,56	10,16	100	56,00	1036
Skirting/Battiscopa 5x30 - 2"x12"	18	5,40 ml	3,50	92	496,8	342
Trim/Profilo 4,5x30 - 1,7"x12"	18	5,40 ml	3,20	92	496,8	315

# TECHNICAL FEATURES

Hexa MOSAIC

## TECHNICAL FEATURES UNGLAZED PORCELAIN STONEWARE MOSAICS

CONFORMING TO EUROPEAN STANDARDS EN 14411 ISO 13006 ANNEX G (GROUP BIA UGL EB ≤ 0,5%)  
 CARATTERISTICHE TECNICHE GRÉS PORCELLANATO NON SMALTATO Conformi a Norme Europee EN 14411 ISO 13006 Appendice G (Gruppo Bia UGL Eb ≤ 0,5%)  
 TECHNISCHE EIGENSCHAFTEN UNGLASIERTES FEINSTEINZEUG Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix G (Gruppe Bia UGL Eb ≤ 0,5%)  
 CARACTERISTIQUES TECHNIQUES GRÉS CERAME FIN NON EMAILLE Conformes aux Normes Européennes EN 14411 ISO 13006 Annexe G (Groupe Bia UGL Eb ≤ 0,5%)

TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	REFERENCE STANDARD RIFERIMENTO NORMA STANDARDWERT RÉFÉRENCE NORME	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
 Water absorption Assorbimento acqua Wasseraufnahme Absorption d'eau	EN ISO 10545-3	Eb ≤ 0,5%	Compliant Conforme Erfüllt Conforme
 Abrasion resistance Resistenza all'abrasione Abriebbeständigkeit Résistance à l'abrasion	EN ISO 10545-6	175 mm <sup>3</sup> max	Compliant Conforme Erfüllt Conforme
 Thermal expansion coefficient Coefficiente di dilatazione termica lineare Wärmeausdehnung Coefficient de dilatation thermique linéaire	EN ISO 10545-8	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	≤9 MK-1
 Thermal shock resistance Resistenza agli sbalzi termici Temperaturwechselbeständigkeit Résistance aux écarts de température	EN ISO 10545-9	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test überstanden nach ISO 10545-1 Pv en accord avec norme en ISO10545-1	Resistant Resistente Widerstandsfähig Résistant
 Frost resistance Resistenza al gelo Frostbeständigkeit Résistance au gel	EN ISO 10545-12	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test überstanden nach ISO 10545-1 Pv en accord avec norme en ISO 10545-1	Resistant Resistente Widerstandsfähig Résistant
 Resistance to low concentrations of acids and alkali Resistenza a basse concentrazioni di acidi e alcali Beständigkeit gegen schwach konzentrierten Säuren und Laugen Résistance à des basses concentrations d'acides et bases	EN ISO 10545-13	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	From ULA to ULB Da ULA a ULB Von ULA bis ULB De ULA jusqu'à ULB
		*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	From UHA to UHB Da UHA a UHB Von UHA bis UHB De UHA jusqu'à UHB
		UB min.	UA
 Stain resistance of unglazed porcelain Resistenza alle macchie di piastrelle non smaltate Fleckenbeständigkeit von unglasierten Fliesen Résistance aux taches des carreaux non emailés	EN ISO 10545-14	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	CLASS 5
 Colors resistance to light Resistenza dei colori alla luce Lichtbeständigkeit Résistance des couleurs a la lumière	DIN 51094	No noticeable color change. Non devono presentare apprezzabili variazioni di colore. Die Muster dürfen keine sichtbaren Farbveränderungen aufweisen. Ne doivent pas présenter de variations importantes des couleurs.	No alteration after testing Materiale inalterato dopo il test Keine Veränderung nach dem Test Aucune altération relevée
 Friction coefficient (Slipperiness) Coefficiente di attrito (Scivolosità) Reibungskoeffizient (Schlupfrigkeit) Coefficient de friction (Glissement)	DIN 51130	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré	R10
	ANSI A137.1 (DCOF)		>0,42

MATT V1 UNIFORM





MIX V2 MODERATE

# TECHNICAL FEATURES

Hexa WALL

## TECHNICAL SPECIFICATIONS OF WHITE-BODY WALL TILES

CONFORMING TO EN 14411 ISO 13006 STANDARDS ANNEX L GROUP BIII GL EB > 10%  
 CARATTERISTICHE TECNICHE RIVESTIMENTI IN PASTA BIANCA Conformi a Norme Europee EN 14411 ISO 13006 Appendice L (Gruppo BIII GL Eb > 10%)  
 TECHNISCHE EIGENSCHAFTEN FÜR WANDFLIESEN AUS WEISSER MASSE Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix L (Gruppe BIII GL Eb > 10%)  
 CARACTERISTIQUES TECHNIQUES DES REVÊTEMENTS EN PÂTE BLANCHE Conformes aux Normes Européennes EN 14411 ISO 13006 Annexe L (Groupe BIII GL Eb > 10%)

TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT
 Water absorption Assorbimento acqua Wasseraufnahme Absorption d'eau	UNI EN ISO 10545-3	AA>10% GRUPPO BIII
 Breaking strength Carico di rottura Bruchlast Charge de rupture	UNI EN ISO 10545-4	RM>150Kg/cm <sup>2</sup>
 Glaze crazing resistance Determinazione della resistenza al cavillo Glasurehaarrißbeständigkeit Résistance à la fissuration de l'émail	UNI EN ISO 10545-11	Resistant Resistente Widerstandsfähig Résistant
 Chemical resistance Resistenza ai prodotti chimici Chemikalienbeständigkeit Résistance aux produits chimiques	UNI EN ISO 10545-14	Conforming Conforme Erfüllt
	UNI EN ISO 10545-13	Conforme

VI UNIFORM












# TECHNICAL FEATURES

# Hexa SQUARE & FLOOR

## TECHNICAL FEATURES GLAZED PORCELAIN STONEWARE

CONFORMING TO EUROPEAN STANDARDS EN 14411 ISO 13006 APP. G (GROUP BIA GL EB ≤ 0,5%)  
 CARATTERISTICHE TECNICHE GRÈS PORCELLANATO SMALTATO Conformi a Norme Europee EN 14411 ISO 13006 App. G (Gruppo BIA GL Eb ≤ 0,5%)  
 TECHNISCHE EIGENSCHAFTEN GLASIERTES FEINSTEINZEUG Gemäß den Europäischen Normen EN 14411 ISO 13006 Appendix G (Gruppe BIA GL Eb ≤ 0,5%)  
 CARACTERISTIQUES TECHNIQUES GRÉS CERAME émaillé Conformes aux Normes Européennes EN 14411 ISO 13006 App. G (Groupe BIA GL Eb ≤ 0,5%)

VI UNIFORM

	TECHNICAL FEATURES CARATTERISTICHE TECNICHE TECHNISCHE DATEN CARACTERISTIQUE TECHNIQUE	TESTING METHOD METODICA DI PROVA PRÜFVERFAHREN NORME D'ESSAIS	REFERENCE STANDARD RIFERIMENTO NORMA STANDARDWERT RÉFÉRENCE NORME		TEST RESULTS VALORE PRODOTTO PRODUKT WERTE VALEUR PRODUIT	
			7cmx15cm	N ≥ 15 cm		
	Sizes Dimensioni Abmessungen Dimensions	EN ISO 10545-2	<ul style="list-style-type: none"> <li>Length and width - Lunghezza e larghezza Länge und Breite - Longueur et largeur</li> <li>Thickness - Spessore - Stärke - Épaisseur</li> <li>Linearity - Rettilinearità spigoli - Kanten geradheit - Rectitude des arêtes</li> <li>Warping - Ortogonalità - Rechtwinkligkeit Orthogonalité</li> <li>Warpage - Planarità - Ebenförmigkeit Planéité</li> </ul>	<ul style="list-style-type: none"> <li>±0,9mm</li> <li>±0,5mm</li> <li>±0,75mm</li> <li>±0,75mm</li> <li>±0,75mm</li> </ul>	<ul style="list-style-type: none"> <li>±0,6%</li> <li>±5,0%</li> <li>±0,5%</li> <li>±0,5%</li> <li>±2,0mm</li> </ul>	Compliant Conforme Erfüllt Conforme
	Water absorption Assorbimento acqua Wasseraufnahme Absorption d'eau	EN ISO 10545-3	Eb ≤ 0,5%		Compliant Conforme Erfüllt Conforme	
	Abrasion resistance Resistenza all'abrasione Abriebbeständigkeit Résistance à l'abrasion	EN ISO 10545-7	CLASS 0-5		4	
	Thermal expansion coefficient Coefficiente di dilatazione termica lineare Wärmeausdehnung Coefficient de dilatation thermique linéaire	EN ISO 10545-8	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré		≤9 MK-1	
	Thermal shock resistance Resistenza agli sbalzi termici Temperaturwechselbeständigkeit Résistance aux écarts de température	EN ISO 10545-9	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test ueberstanden nach ISO 10545-1 Pv en accord avec norme en ISO10545-1		Resistant Resistente Widerstandsfähig Résistant	
	Frost resistance Resistenza al gelo Frostbeständigkeit Résistance au gel	EN ISO 10545-12	*Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1 Test ueberstanden nach ISO 10545-1 Pv en accord avec norme en ISO 10545-1		Resistant Resistente Widerstandsfähig Résistant	
	Resistance to low concentrations of acids and alkali Resistenza a basse concentrazioni di acidi e alcali Beständigkeit gegen schwach konzentrierten Säuren und Laugen Résistance à des basses concentrations d'acides et bases	EN ISO 10545-13	*Declared value Valore dichiarato Angegebener Wert Valeur déclaré		From GLA to GLB Da GLA a GLB Von GLA bis GLB De GLA jusqu'à GLB	
	Resistance to high concentrations of acids and alkali Resistenza ad alte concentrazioni di acidi e alcali Beständigkeit gegen stark konzentrierten Säure und Laugen Résistance à des hautes concentrations d'acides et bases		*Declared value Valore dichiarato Angegebener Wert Valeur déclaré		From GHA to GHB Da GHA a GHB Von GHA bis GHB De GHA jusqu'à GHB	
	Resistance to domestic chemicals and additives for swimming pools Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Beständigkeit gegen chemischen Haushaltsreiniger und Zusatzstoffe für Schwimmbäder Résistance aux prod. chimiques d'usage domestique et additifs pour piscines		GB min.		GA	
	Stain resistance of glazed porcelain Resistenza alle macchie di piastrelle smaltate Fleckenbeständigkeit von glasierten Fliesen Résistance aux tâches des carreaux non émaillés	EN ISO 10545-14	Classe 3 min Gruppe 3 min. Classe 3 min		CLASS 5	
	Glaze crazing resistance Determinazione della resistenza al cavillo Glaserhaarrißbeständigkeit Résistance à la fissuration de l'émail	EN ISO 10545-11	Required Richiesta Gefordert Requise		Resistant Resistente Widerstandsfähig Résistant	
	Friction coefficient (Slipperiness) Coefficiente di attrito (Scivolosità) Reibungskoeffizient (Schlupfrigkeit) Coefficient de friction (Glissement)	DIN 51130	*Declared value Valore dichiarato		R10	
		ANSI A137.1 (DCOF)	Angegebener Wert Valeur déclaré		>0,42	
	Modulus of rupture Resistenza alla flessione Biegezugfestigkeit Résistance à la flexion	EN ISO 10545-4	Medium value 35 N/mm <sup>2</sup> min.		Compliant Conforme Erfüllt Conforme	
			sp. > = 7,5 mm: min 1300 N			

# CODES



	LEMON SORBET	DUTCH WHITE	YELLOW CORN	LAUREL GREEN	WILD SAGE	GREEN ECHO
Mosaic MATT 31,6x31,6 12"x12"	TTHX05MHN	TTHX17MHN	TTHX14MHN	TTHX18MHN	TTHX11MHN	TTHX07MHN
	ROSY BLUSH	CHERRY PIE	RUSTY RED	AZURE MIST	CADET BLUE	AEGEAN BLUE
	TTHX10MHN	TTHX06MHN	TTHX13MHN	TTHX19MHN	TTHX20MHN	TTHX21MHN
	OCEAN WAVE	DEEP NAVY	BLACK SWAN			
TTHX08MHN	TTHX12MHN	TTHX09MHN				

	ROSY BLUSH	WILD SAGE	DEEP NAVY	COTTON CANDY	RUSTY RED	YELLOW CORN
Mosaic MIX 31,6x31,6 12"x12"	TTBSTO2MHMIX	TTBSTO3MHMIX	TTBSTO4MHMIX	TTBSTO1MHMIX	TTHX15MHMIX	TTHX16MHMIX

	LEMON SORBET	DUTCH WHITE	YELLOW CORN	LAUREL GREEN	WILD SAGE	GREEN ECHO
Floor 14x16 - 5"x6"	TTHXF05N	TTHXF17N	TTHXF14N	TTHXF18N	TTHXF11N	TTHXF07N
	ROSY BLUSH	CHERRY PIE	RUSTY RED	AZURE MIST	CADET BLUE	AEGEAN BLUE
	TTHXF10N	TTHXF06N	TTHXF13N	TTHXF19N	TTHXF20N	TTHXF21N
	OCEAN WAVE	DEEP NAVY	BLACK SWAN			
TTHXF08N	TTHXF12N	TTHXF09N				

	CHERRY PIE	GREEN ECHO	OCEAN WAVE	BLACK SWAN	LEMON SORBET
Wall 17,3x15 - 7"x6"	TTHXW06G	TTHXW07G	TTHXW08G	TTHXW09G	TTHXW05G

	LEMON SORBET	DUTCH WHITE	YELLOW CORN	LAUREL GREEN	WILD SAGE	GREEN ECHO
Square 15x15 - 6"x6"	TTHXS05N	TTHXS17N	TTHXS14N	TTHXS18N	TTHXS11N	TTHXS07N
	ROSY BLUSH	CHERRY PIE	RUSTY RED	AZURE MIST	CADET BLUE	AEGEAN BLUE
	TTHXS10N	TTHXS06N	TTHXS13N	TTHXS19N	TTHXS20N	TTHXS21N
	OCEAN WAVE	DEEP NAVY	BLACK SWAN			
TTHXS08N	TTHXS12N	TTHXS09N				

TERRATINTA  
group



"Stay hungry, stay foolish."

S. Jobs 1955-2011

---



CHANGE  
TOGETHER

terratinta  
ceramiche 100%  
made in  
Italy

*#notaclassicstory*

brand of Terratinta Group Srl SB


A company part of


ITAL CER  
GROUP  
DESIGN SURFACES

// 45, via Viazza II Tronco  
41042 Fiorano Modenese (MO) Italy

T +39 0536911408

F +39 05361940223

 Terratinta Group

 terratinta Group

*#terratintastyle*



DOWNLOAD  
AREA

**terratinta**  
ceramiche   
[terratintagroup.com](http://terratintagroup.com)